



**solo**

Fabricating for a better tomorrow  
*He waka eke noa*

# SLOTTED PIPE

# FABRICATING FOR A BETTER TOMORROW


Solo's Vision is "*Fabricating for a Better Tomorrow*". We sustainably manufacture infrastructure solutions in PE and PVC for the people of New Zealand, focusing on values that help to conserve and protect our planet whilst always watching over our whanau. Now *that's* standing for better...

Solo Plastics  
Phone +64 9828 9594  
[contact@solo.co.nz](mailto:contact@solo.co.nz)  
[solo.co.nz](http://solo.co.nz)

25-33 Honan Place  
Avondale  
Auckland  
New Zealand





# SLOTTED PIPE SOLO PLASTICS DRILLING AND SLOTTING PATTERNS





Slotting Pattern B

Slots 1mm or 2mm wide, 10mm centres





Slotting Pattern C

slots 5mm wide, 100mm centres





Slotting Pattern D

Slots longitudinal 10mm wide, 100mm long, 500mm centres





Effluent Drilling

Holes Ø50mm, 310mm centres




TNZ F2 Drilling pattern (pipe sizes 110mm - 160mm)

Holes Ø6.5mm, 38mm centres



TNZ F2 Drilling pattern (pipe sizes 180mm - 315mm)

Holes Ø6.5mm, 38mm centres



Tolerances

Slotting

- minimum O/D for pattern B is 42mm (32mm DWV)
- minimum O/D for pattern B is 250mm

Drilling

- minimum O/D for drilling is 100mm (can do 42mm (32mm DWV) with special setup)
- minimum O/D for drilling is 355mm