



solo

Fabricating for a better tomorrow
He waka eke noa

F01

**STORMWATER
FABRICATED
GLASSED**

solo.co.nz

FABRICATING FOR A BETTER TOMORROW

Solo's Vision is "*Fabricating for a Better Tomorrow*". We sustainably manufacture infrastructure solutions in PE and PVC for the people of New Zealand, focusing on values that help to conserve and protect our planet whilst always watching over our whanau. Now *that's* standing for better...

Solo Plastics
Phone +64 9828 9594
contact@solo.co.nz
solo.co.nz

25-33 Honan Place
Avondale
Auckland
New Zealand



| | |
|---------------------------|-----|
| S/W Bend Glassed | 1-2 |
| S/W Junction Glassed 45 | 3-4 |
| S/W Junction Glassed 90 | 5-6 |
| S/W Red Saddle Glassed 45 | 7 |
| S/W Level Invert | 8-9 |

701

FABRICATED GLASSED

S/W Bend Glasged



| | |
|-------------------|---|
| 701.150.11 | 150 uPVC 11deg Elbow for Stormwater Glasged SCJ |
| 701.150.22 | 150 uPVC 22deg Elbow for Stormwater Glasged SCJ |
| 701.150.45 | 150 uPVC 45deg Elbow for Stormwater Glasged SCJ |
| 701.150.90 | 150 uPVC 90deg Elbow for Stormwater Glasged SCJ |
| 701.175.11 | 175 uPVC 11deg Elbow for Stormwater Glasged SCJ |
| 701.175.22 | 175 uPVC 22deg Elbow for Stormwater Glasged SCJ |
| 701.175.45 | 175 uPVC 45deg Elbow for Stormwater Glasged SCJ |
| 701.175.90 | 175 uPVC 90deg Elbow for Stormwater Glasged SCJ |
| 701.225.11 | 225 uPVC 11deg Elbow for Stormwater Glasged SCJ |
| 701.225.22 | 225 uPVC 22deg Elbow for Stormwater Glasged SCJ |
| 701.225.45 | 225 uPVC 45deg Elbow for Stormwater Glasged SCJ |
| 701.225.90 | 225 uPVC 90deg Elbow for Stormwater Glasged SCJ |
| 701.300.11 | 300 uPVC 11deg Elbow for Stormwater Glasged SCJ |
| 701.300.22 | 300 uPVC 22deg Elbow for Stormwater Glasged SCJ |
| 701.300.45 | 300 uPVC 45deg Elbow for Stormwater Glasged SCJ |
| 701.300.90 | 300 uPVC 90deg Elbow for Stormwater Glasged SCJ |

Please view next page for more sizes.

FABRICATED GLASSED

701

S/W Bend Glasped




| | |
|-------------------|---|
| 701.375.11 | 375 uPVC 11deg Elbow for Stormwater Glasped SCJ |
| 701.375.22 | 375 uPVC 22deg Elbow for Stormwater Glasped SCJ |
| 701.375.45 | 375 uPVC 45deg Elbow for Stormwater Glasped SCJ |
| 701.375.90 | 375 uPVC 90deg Elbow for Stormwater Glasped SCJ |
| 701.475.11 | 475 uPVC 11deg Elbow for Stormwater Glasped SCJ |
| 701.475.22 | 475 uPVC 22deg Elbow for Stormwater Glasped SCJ |
| 701.475.45 | 475 uPVC 45deg Elbow for Stormwater Glasped SCJ |
| 701.475.90 | 475 uPVC 90deg Elbow for Stormwater Glasped SCJ |

704

FABRICATED GLASSED

S/W Junction Glassed 45




| | |
|-----------------------|--|
| 704.175.100.45 | 175 100 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.175.150.45 | 175 150 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.175.45 | 175 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.225.100.45 | 225 100 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.225.150.45 | 225 150 uPVC 45deg Junction for Stormwater Glassed |
| 704.225.175.45 | 225 175 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.225.45 | 225 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.300.100.45 | 300 100 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.300.150.45 | 300 150 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.300.175.45 | 300 175 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.300.225.45 | 300 225 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.300.45 | 300 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.375.100.45 | 375 100 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.375.150.45 | 375 150 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.375.175.45 | 375 175 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.375.225.45 | 375 225 uPVC 45deg Junction for Stormwater Glassed SCJ |

Please view next page for more sizes.

FABRICATED GLASSED

704

S/W Junction Glassed 45




| | |
|-----------------------|--|
| 704.375.300.45 | 375 300 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.375.45 | 375 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.475.150.45 | 475 150 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.475.175.45 | 475 175 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.475.225.45 | 475 225 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.475.300.45 | 475 300 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.475.375.45 | 475 375 uPVC 45deg Junction for Stormwater Glassed SCJ |
| 704.475.45 | 475 uPVC 45deg Junction for Stormwater Glassed SCJ |

704

FABRICATED GLASSED

S/W Junction Glassed 90



| | |
|-----------------------|--|
| 704.175.100.90 | 175 100 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.175.150.90 | 175 150 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.175.90 | 175 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.225.100.90 | 225 100 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.225.150.90 | 225 150 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.225.175.90 | 225 175 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.225.90 | 225 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.300.100.90 | 300 100 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.300.150.90 | 300 150 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.300.175.90 | 300 175 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.300.225.90 | 300 225 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.300.90 | 300 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.375.100.90 | 375 100 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.375.150.90 | 375 150 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.375.175.90 | 375 175 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.375.225.90 | 375 225 uPVC 90deg Junction for Stormwater Glassed SCJ |

Please view next page for more sizes.

FABRICATED GLASSED

704

S/W Junction Glassed 90



| | |
|-----------------------|--|
| 704.375.300.90 | 375 300 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.375.90 | 375 uPVC 90deg Junction for Stormwater Unglazed SCJ |
| 704.475.150.90 | 475 150 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.475.175.90 | 475 175 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.475.225.90 | 475 225 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.475.300.90 | 475 300 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.475.375.90 | 475 375 uPVC 90deg Junction for Stormwater Glassed SCJ |
| 704.475.90 | 475 uPVC 90deg Junction for Stormwater Glassed SCJ |

704S

FABRICATED GLASSED

S/W Red Saddle Glassed 45




| | |
|------------------------|--|
| 704S.150.100.45 | 150 100 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.175.100.45 | 175 100 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.175.150.45 | 175 150 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.225.100.45 | 225 100 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.225.150.45 | 225 150 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.225.175.45 | 225 175 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.300.100.45 | 300 100 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.300.150.45 | 300 150 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.300.175.45 | 300 175 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.300.225.45 | 300 225 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.375.100.45 | 375 100 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.375.150.45 | 375 150 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.375.175.45 | 375 175 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.375.225.45 | 375 225 uPVC 45deg Saddle for Stormwater Glassed SCJ |
| 704S.375.300.45 | 375 300 uPVC 45deg Saddle for Stormwater Glassed SCJ |

FABRICATED GLASSED

723

S/W Level Invert




| | |
|--------------------|--|
| 723.150.100 | 150 100 uPVC Level Invert for Stormwater SCJ |
| 723.175.100 | 175 100 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.175.150 | 175 150 uPVC Level Invert for Stormwater SCJ |
| 723.225.100 | 225 100 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.225.150 | 225 150 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.225.175 | 225 175 uPVC Level Invert for Stormwater SCJ |
| 723.300.100 | 300 100 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.300.150 | 300 150 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.300.175 | 300 175 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.300.225 | 300 225 uPVC Level Invert for Stormwater SCJ |
| 723.375.100 | 375 100 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.375.150 | 375 150 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.375.175 | 375 175 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.375.225 | 375 225 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.375.300 | 375 300 uPVC Level Invert for Stormwater Glassed SCJ |

Please view next page for more sizes.

723

FABRICATED GLASSED

S/W Level Invert



| | |
|--------------------|--|
| 723.475.175 | 475 175 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.475.225 | 475 225 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.475.300 | 475 300 uPVC Level Invert for Stormwater Glassed SCJ |
| 723.475.375 | 475 375 uPVC Level Invert for Stormwater Glassed SCJ |