



solo

Fabricating for a better tomorrow
He waka eke noa

F01

**STORMWATER
MOULDED**

solo.co.nz

FABRICATING FOR A BETTER TOMORROW

Solo's Vision is "*Fabricating for a Better Tomorrow*". We sustainably manufacture infrastructure solutions in PE and PVC for the people of New Zealand, focusing on values that help to conserve and protect our planet whilst always watching over our whanau. Now *that's* standing for better...

Solo Plastics
Phone +64 9828 9594
contact@solo.co.nz
solo.co.nz

25-33 Honan Place
Avondale
Auckland
New Zealand




S/W Bend Moulded	1
S/W Red Junction Moulded 45	2
S/W Red Junction Moulded 90	2
S/W Junction Moulded 45	3
S/W Junction Moulded 90	3
S/W Reducer Moulded	4
S/W Reducer Bush Moulded	4
S/W Access Cap Moulded	5
S/W End Cap	5
DWV Moulded RRJ Slip Coupler	6
S/W Vermin Stoppers	7

701

MOULDED

S/W Bend Moulded



701.100.45I	100 uPVC 45deg Elbow for Stormwater Moulded SCJ
701.100.90I	100 uPVC 90deg Elbow for Stormwater Moulded SCJ
701.150.15I	150 uPVC 15deg Elbow for Stormwater Moulded SCJ
701.150.45I	150 uPVC 45deg Elbow for Stormwater Moulded SCJ
701.150.90I	150 uPVC 90deg Elbow for Stormwater Moulded SCJ
701.175.45I	175 uPVC 45deg Elbow for Stormwater Moulded SCJ
701.175.90I	175 uPVC 90deg Elbow for Stormwater Moulded SCJ
701.225.15I	225 uPVC 15deg Elbow for Stormwater Moulded SCJ
701.225.45I	225 uPVC 45deg Elbow for Stormwater Moulded SCJ
701.225.90I	225 uPVC 90deg Elbow for Stormwater Moulded SCJ
701.300.45I	300 uPVC 45deg Elbow for Stormwater Moulded SCJ
701.300.90I	300 uPVC 90deg Elbow for Stormwater Moulded SCJ
701.375.45I	375 uPVC 45deg Elbow for Stormwater Moulded SCJ
701.375.90I	375 uPVC 90deg Elbow for Stormwater Moulded SCJ

MOULDED


704

S/W Red Junction Moulded 45



704.150.100.45I	150 100 uPVC 45deg Reducing Junction for Stormwater Moulded
704.225.100.45I	225 100 uPVC 45deg Reducing Junction for Stormwater Moulded
704.225.100.88I	225 100 uPVC 88deg Reducing Junction for Stormwater Moulded
704.225.150.45I	225 150 uPVC 45deg Reducing Junction for Stormwater Moulded
704.225.150.88I	225 150 uPVC 88deg Reducing Junction for Stormwater Moulded
704.225.175.45I	225 175 uPVC 45deg Reducing Junction for Stormwater Moulded
704.300.175.45I	300 175 uPVC 45deg Reducing Junction for Stormwater Moulded
Z704.300.175.45I	300 175 45deg Reducing Junction Z for Stormwater Moulded

S/W Red Junction Moulded 90




704.150.100.90I	150 100 uPVC 90deg Reducing Junction for Stormwater Moulded
------------------------	---

701

MOULDED

S/W Junction Moulded 45



704.150.45I	150 uPVC 45deg Junction for Stormwater Moulded
704.175.45I	175 uPVC 45deg Junction for Stormwater Moulded
704.225.45I	225 uPVC 45deg Junction for Stormwater Moulded
704.300.45I	300 uPVC 45deg Junction for Stormwater Moulded

S/W Junction Moulded 90




704.150.90I	150 uPVC 90deg Junction for Stormwater Moulded
704.175.90I	175 uPVC 90deg Junction for Stormwater Moulded
704.225.90I	225 uPVC 90deg Junction for Stormwater Moulded
704.300.90I	300 uPVC 90deg Junction for Stormwater Moulded

MOULDED

723

S/W Reducer Moulded



723.150.100I	150 100 uPVC Level Invert for Stormwater Moulded MF
723.175.150I	175 150 uPVC Level Invert for Stormwater Moulded MF
723.225.150I	225 150 uPVC Level Invert for Stormwater Moulded MF
723.225.175I	225 175 uPVC Level Invert for Stormwater Moulded MF
723.300.175I	300 175 uPVC Level Invert for Stormwater Moulded MF
723.300.225I	300 225 uPVC Level Invert for Stormwater Moulded MF

MOULDED

724

S/W Reducer Bush Moulded




724.150.100I	150 100 uPVC Level Invert Bush for Stormwater
724.175.150I	175 150 uPVC Level Invert Bush for Stormwater
724.225.175I	225 175 uPVC Level Invert Bush for Stormwater

736

MOULDED

S/W Access Cap Moulded



736.100	100 uPVC Access Cap for Stormwater Moulded SCJ
736.150	150 uPVC Access Cap for Stormwater Moulded SCJ
736.175	175 uPVC Access Cap for Stormwater Moulded SCJ
736.225	225 uPVC Access Cap for Stormwater Moulded SCJ
736.300	300 uPVC Access Cap for Stormwater Moulded SCJ

737

MOULDED

S/W End Cap



737.175	175 uPVC End Cap for Stormwater
737.175I	175 uPVC End Cap for Stormwater Moulded
737.225	225 uPVC End Cap for Stormwater
737.300	STORMWATER END CAP 300Ø
737.375	375 uPVC End Cap for Stormwater
737.475	475 uPVC End Cap for Stormwater

MOULDED

S1511

DWV Moulded RRJ Slip Coupler



S1511.100I	100 Slip Coupler for Stormwater Moulded RRJ FF
S1511.150I	150 Slip Coupler for Stormwater Moulded RRJ FF
S1511.175I	175 Slip Coupler for Stormwater Moulded RRJ F
S1511.225I	225 Slip Coupler for Stormwater Moulded RRJ FF
S1511.300I	300 Slip Coupler for Stormwater Moulded RRJ FF

736

MOULDED

S/W Vermin Stoppers



183.100	100 PVC Vermin Stopper for DWV
183.150	150 PVC Vermin Stopper for DWV
183.225	225 PVC Vermin Stopper for DWV